



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



UM-3725-98 1998 Jeep Cherokee

In-depth Vehicle Occupant Report

The University
of Michigan
Transportation
Research Institute



DISCLAIMERS

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points are coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

UM-3725-98

Case Vehicle (A): 1998 Jeep

Type: Cherokee Sport, 4-door 4 x 4 SUV

Driver: 27-year-old female

CDC: 12-FDEW-1

Veh. (B): 1995 Chevrolet Type: Astro Van, AWD Driver: 42-year-old female

CDC: 99-ØØØØ-Ø

Situation

(Slide 1) Case vehicle (A) was traveling south at an unknown but low speed in the southbound lane of a (slide 2) 2-lane asphalt road in a rural residential/recreational area. It was daytime and the sky was cloudy, but the road surface was dry and in good condition. Vehicles (X), (Y) and (B) were stopped in front of case vehicle (A). Case vehicle (A) was unable to stop in time and struck vehicle (B) in the rear with its front. Vehicle (B) was unavailable, and was not inspected.

Using the SMASH accident-reconstruction program and (slides 3, 4 and 5) c-values measured for case vehicle (A), the following Equivalent Barrier Speed was calculated:

		Calculated Velocity Change - kph (mph)				
Vehicle	Variable	Total	Longitudinal	Latitudinal		
Case Vehicle (A)	EBS	22 (14)	-22 (-13)	4 (2)		

Exterior Damage

(Slide 6) Damage to case vehicle (A) was moderate. (Slide 7) The maximum crush was 22 cm to the right-front bumper corner. (Slide 8) Direct contact damage extended across the entire bumper width. In the front, the grille, both headlight assemblies, and the hood were damaged. (Slides 9 and 10) There was minimal damage to the engine compartment. On the left side, (slide 11) the front fender was damaged, (slide 12) but there was no significant change in the wheelbase. On the right side, (slide 13) the front fender was damaged, (slide 14) but there was no significant change in the wheelbase. (Slide 15) The sunroof was damaged.

Interior Damage

(Slide 16) This vehicle was equipped with steering-wheel and (slide 17) passenger frontal-impact airbags, which deployed. (Slides 18 and 19) There was no damage to the steering-wheel rim or (slides 20 and 21) spokes. (Slide 22) There was no rotation of the steering column. (Slide 23) The sunroof was jammed partially open. (Slide 24) The dome light, and (slide 25) upper instrument panel were damaged. (Slides 26, 27, 28, 29, 30 and 31) There was no other observable interior damage.

Occupant Injuries and Kinematics

(Slide 32) The 5-ft, 2-in, 27-year-old female driver was wearing the 3-point belt and the airbag deployed. (Slide 33) There was a belt-webbing imprint on the plastic D-ring and (slide 34) stretching of the belt webbing, indicating belt use. She reportedly had her hands at the 3 and 9 o'clock positions on the steering wheel, her seat positioned in the full-forward track position, the seatback in an upright position, and the tilt steering-wheel at the mid position. On impact, her left and right knee contacted (slides 35, 36 and 37) the lower instrument panel/knee bolster resulting in contusions.

(Slide 38) The attached table summarizes the injuries sustained by the female driver, who was the lone occupant of case vehicle (A).

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 27 years Stature: 157 cm (5 ft 2 in)

Sex: Female Mass: 52 kg (115 lb)

		Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, left knee	1	Lower instrument panel (knee bolster)		
Contusion, right knee	1	Lower instrument panel (knee bolster)		
Maximum A.I.S. Level	<u>1</u>			
Injury Severity Score	1			

VERSION 05 - 199

ADMINISTRATIVE

AD-1

 TEAM CODE
 30

 ACCIDENT ID
 03725

 VEHICLE NUMBER
 1

 MODULE
 A D

 FORMAT
 0

 FORM VERSION
 0

 5
 13

NO. OF CASE VEHICLES IN ACCIDENT

NUMBER OF SLIDES $\frac{1}{5}$

TEAM REPORT NUMBER

$$\frac{V M - 3725 - 98}{27}$$

SPECIAL STUDY

(00) None

(01) Offset Frontal

(98) Not Applicable

99

DATE OF FIELD INVESTIGATION: INVESTIGATOR:	<u> </u>
LOCATION WHERE VEHICLE WAS EVALUATED	D :

, Michigan

CIRCLE PHOTO RECORDS MADE:



NEGATIVES

POLAROIDS

REPORT PREPARED BY:

Duplicate columns 1-8 Module G Format 0 11	12	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	9 8 y y	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE	<u>O</u>
	2 6 22 24 22 25	(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	1 2 2
ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	Q 22 27	(9) UNKNOWN SURFACE COVERING (10) DRY (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN VISIBILITY LIMITATION (FOR CASE VEHICLE)	24 2
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH)	2 25	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	<u>D</u>
(7) OTHER:	<u>0</u>	(O) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	<u> </u>

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	<u>5</u>	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
PRECIPITATION . (0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	<u>O</u> 39 8 40 40	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
(6) 16 TO 25	9 42 1 43	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN	<u>O</u>	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	
CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN	0 46	(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	53
(9) UNKNOWN		DRIVER IMPAIRMENT	
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	0 47	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>O</u> 54
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 48	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	· 8
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	1 49	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	57
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 50	LIST IMPAIRMENTS MENTION	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN ANY FIRE IN THIS CRASH		POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE (1) DRIVEN (2) TOWED DUE TO DAMAGE	
(NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>0</u>	(3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	58

ACCIDENT SCHEMATIC

CCIDENT DESCRIPTION:	Case vehicle (a) was	traveling south or	CASE VEHICLE	: (A): <u>1998 Jeep C</u> .E (B): <u>1995 Cheurol</u> et	henokee
2-lawe RURA NO.	ad. Veh. (B), Veh (Y)	and veh (X) were			
topped facing	south on the sam	e 2-lawe Road IN	THIRD VEHICL	E (C):	•4.
hat order. (45)	vehide (a) failed to s	top, and struck	vehicle (B)	in the Rean wi	<u>, 7</u> 4
its front.		•			_ (
17 1800.					
					 NORTI
•					
				B1 ∢ A2 ← ∢ A1	

Duplicate columns 1-8 from the previous card. Module O V Format 0 1 11 12	OTHER VEHICLE OV-1
MAKE: <u>Cheurolet</u>	CARGO:
MODEL: Astro Var, AWD	
VIN 13	29
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{1}{3}$ $\frac{3}{4}$ $\frac{1}{34}$	VEHICLE TYPE PASSENGER VEHICLE
MAKE/MODEL CODE 2925	(02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY
MODEL YEAR 1 9 <u>9</u> <u>5</u>	(24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT
VEHICLE MASS (kg) 0 0 2 0 1 8	(28) INTERMEDIATE (29) FULL
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (MHEELBASE LESS THAN 107', E.G. JEEP, BRONCO) (15) LARGE UTILITY (MHEELBASE MORE THAN 107', E.G. PANEL TRUCK SUBURBAN)
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 0 2 49	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER
TRAVELING SPEED (km/h) (000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SUBURBAN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER)
	WHEELBASE (cm) (999) UNKNOWN 282 56 57 58

Duplicate columns 1-8 from the previous card. Module 0 V Format 0 2 10 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

Wheelbase

282 cm

Front Overhang

0 8 4 cm

Curb Weight

2018 kg

Rear Overhang

1 1 6 cm

Average Track Width 13 6 6 cm

Undeformed End Width (UEW) $\frac{1}{28}$ $\frac{2}{30}$ cm

Overall Length

4 8 2 cm


Engine Displacement

 $\frac{4}{31} \cdot \frac{3}{32}$


Overall Width (OAW) 19 9 7 cm


Engine: # of Cylinders


VEHICLE DAMAGE




This vehicle was NOT INSPECTED.









FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL) $\frac{9}{35}$ $\frac{9}{37}$ cm

Front-End Overlap (Percent) = DDL UEW


Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

Duplicate columns 1-8 Module V D Format 0 1 from the previous card. 9 10 11 12	VEHICLE DESCRIPTION	VD-1
MAKE: <u>Seep</u> MODEL: <u>Cherokee Sport</u> , 4-dog.	CARGO:	
VIN 13		29
MANUFAC/BODY CODE $\frac{1}{30} \frac{5}{2} \frac{2}{1} \frac{4}{34}$	STOLEN VEHICLE	
MAKE/MODEL CODE $\frac{3}{3} \frac{4}{9} \frac{0}{3} \frac{5}{3}$	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 60
MODEL YEAR 1 9 9 8	·	
VEHICLE MASS (kg) 0 0 1 5 1 9	BODY STRUCTURE (1) BODY & FRAME	1
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 8 8 8 8 8 8 5 52	(2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME (E.G. VW BUG)	61
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 54	(5) PARTIALLY UNITIZED (7) OTHER: (9) UNKNOWN	
TRAVELING SPEED (km/h) 997 7	TRANSMISSION	
(995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	(0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	62
VEHICLE TYPE	LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE 55 59	SELECTOR LEVER (1) FLOOR	2
(ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN	(2) CONSOLE (3) COLUMN (7) OTHER:	63
(15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH. : (19) PASSENGER VEHICLE, TYPE UNKNOWN	(a) nuknomn	
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)	STEERING (1) POWER	1
(22) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(2) MANUAL (9) UNKNOWN	64
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)	BRAKES (1) POWER	1
(33) PICKUP TRUCK, LARGE (99) UNKNOWN	(2) MANUAL (9) UNKNOWN	65

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2 66	WHEELBASE <i>(cm)</i> (999) Unknown 2 5 74 75
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>0</u> 67	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	3 69	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY
O) NO (1) YES (9) UNKNOWN	<u>O</u>	TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.
ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3 71	3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN	<u>O</u>	FRONT OR REAR
TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	4/73	ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card.	Module V D Format 0 2 11 12	VEHICLE DI	ESCRIPTION VD-3
	ORIGINAL S	SPECIFICATIONS	
Wheelbase	258 cm	Front Overhang	$\frac{0}{2} \frac{7}{2} \frac{0}{24}$ cm
Curb Weight	kg	Rear Overhang	<u>O</u> <u>9</u> <u>2</u> cm
Average Track Width	$\frac{1}{13} \frac{4}{15} \frac{7}{15}$ cm	Undeformed End Width (UEW)	
Overall Length	$\frac{4}{16}$ $\frac{2}{18}$ cm	Engine Displacement	4 . <u>0</u> L
Overall Width (OAW)	$\frac{1}{19} \frac{7}{21} \frac{6}{21}$ cm	Engine: # of Cylinders	0 6

VEHICLE DAMAGE



FRONTAL CRAS	SH OVERLAP	Full	FRONTAL
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.	Direct Damage Length (DDL)	35	$\frac{4}{37}$ cm
Front-End Overlap (Percent) = <u>DDL</u> UEW			9 8 % 38 39
Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW		_	9 1/8

Duplicate columns 1-8 from the previous card. Module D 10	A Format 0 2	DAMAGE DA-1
PRIMARY .	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	9 9 9	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$
ESTIMATED BY	17	38
CRUSH (cm)	<u>O</u> <u>Z</u> <u>Z</u> 18 19 20	9 4 4
CDC #1	$\frac{1}{21} \frac{2}{2} \cdot \cancel{F} \cancel{D} \cancel{E} \cancel{W} \cdot \frac{1}{27}$	99.0000.0
CDC #2	98.0000.0	99.0000.0
Duplicate columns 1-8 from the previous card. Module D 9 10		CONTACTED VEHICLE ACCOUNTED COO
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	<u>8</u>	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38 .
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21 27	42
CDC #2	28 34	49
Codes		
EVENT NUMBER		CRUSH
(8) NOT APPLICABI	(2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED (998) NOT APPLICA (999) UNKNOWN	(4) *CRASH* PROGRAM (5) OTHER COMPUTER PROGRAM SPECIFY:	CDC (9800000) NOT APPLICABLE

Duplicate columns 1-8 Mo from the previous card.	odule <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 9 10 11 12		DAMAGE DA-2						
	MAXIMUM SHE	ET METAL CRUSH							
(cm) (999) UNKNOWN									
(GII) (333) UNKNOWN									
	0 1 1		000						
FRONT	$\frac{\mathcal{O}}{13} = \frac{\mathcal{L}}{15}$	RIGHT SIDE	16 - 18						
			0 - 0						
REAR _	0 0 0	LEFT SIDE	<u>U</u> <u>B</u> <u>U</u>						
	19 21 .		22 24						
ROOF	000	OTHER	0 0 0						
	25 27		28 30						
	Cupova	CAL SEQUENCE							
	OF DAMAGE/INJURY PRO		3						
	FOR CASI	E VEHICLE							
NOTE: IF CHRONOL	LOGICAL ORDER	DO YOU KNOW THIS	S TABLE						
IS UNKNOW ORDER IS C	N, EVENT	TO BE IN CHRONOL	OGICAL ORDER?						
ONDER 10 C	r Horal.	(0) NO	31						
		(1) YES							
	T .	<u> </u>	T						
EVENT NUMBER	IMPACT LOCATION	IMPACT CONFIGURATION	OBJECT/VEHICLE CONTACTED						
NOMBELL	(1) ON ROADWAY	1							
	(2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE	FOR CODES, SEE TABLE ON PAGE DA-3.	FOR CODES, SEE TABLE ON PAGE DA-4.						
	(4) OUTSIDE ROADSIDE RIGHT-OF-WAY	·							
	(5) OTHER								
	(6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN								
	1	1 11	11						
#1	1 32	14	1 1 36						
#2		J 34	30						
#4	37	39	41						
#3									
-	42	44	46						
#4									
	47	49	51						
#5	<u> </u>								
#6		~							
πΟ	57	59	61						
#7	_								
	62	64	66						
			1						

DAMAGE DA-3

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

DAMAGE DA-4

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS Bus NO OBJECT (40) UNKNOWN BUS TYPE (01) - (39) PASSENGER VEHICLE & TRUCK (41) SCHOOL BUS (40) - (69) OTHER VEHICLE (42) INTERCITY BUS (BETWEEN CITIES) (70) - (76) PEDESTRIAN & ON-ROADWAY OBJECT (43) TRANSIT BUS (INTRACITY) (77) - (97) OFF-ROADWAY OBJECT (44) STREETCAR (ON TRACKS) OTHER (DESCRIBE) (99) UNKNOWN MOTORCYCLE (50) UNKNOWN MOTORCYCLE TYPE PASSENGER VEHICLE (51) 1 - 75 cc (52) 76 - 125 cc (53) 126 - 250 cc (02) LARGE (03) LIMOUSINE (17) PICKUP (54) 251 - 500 cc (55) 501 - 750 ∞ (20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (56) 751 cc + (25) MINI (57) 3-WHEELS (OR WITH SIDECAR) (26) SUB-COMPACT (27) COMPACT SPECIAL PURPOSE VEHICLE (28) INTERMEDIATE (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE) (29) FULL (61) SNOWMOBILE (62) ATV (ALL TERRAIN VEHICLE) (63) AMPHIBIOUS VEHICLE SIZE WHEELBASE (64) FARM VEHICLE (65) CONSTRUCTION VEHICLE < 2286 mm (< 90°) SUB-MINI (66) TRAILER, PRIVATE (CAMPER) (67) TRAILER, COMMERCIAL (CARGO). 2286 - 2412 mm (90° - 94.9°) SUB-COMPACT 2413 - 2539 mm (95° - 99.9°) (68) TRAIN (CARS) COMPACT 2540 - 2666 mm (100" - 104.9") (69) LOCOMOTIVE (ENGINE, SWITCHER) INTERMEDIATE 2667 - 2793 mm (105° - 109.9°) FULL 2794 - 2920 mm (110° - 114.9°) LARGE 2921 - 3174 mm (115" - 124.9") **OBJECT** LIMOUSINE > 3175 mm (> 125°) (70) PEDESTRIAN (71) BICYCLIST, OTHER PEDALCYCLIST (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING MULTIPURPOSE PASSENGER VEHICLE ANIMAL CART) (11) SMALL VAN (MINI) (73) LARGE ANIMAL (12) PICKUP (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM (14) SMALL UTILITY (WHEELBASE LESS THAN 107°. OTHER VEHICLE, FALLEN TREE, ROCKS) E.G. JEEP, BRONCO) (75) ROCKS (15) LARGE UTILITY (WHEELBASE MORE THAN 107". (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65)) (77) SIGN POST, UTILITY POLE, TREE ... E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (78) DITCH (17) PICKUP CAR WITH CANOPY/SHELL COVER (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X (21) MOTOR HOME (80) GROUND (ROLLOVER ONLY) (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (81) CURB (DAMAGE PRODUCING IMPACTS ONLY) (23) PICKUP CAR WITH SLIDE-IN CAMPER (82) CULVERT (31) CHASSIS-MOUNTED CAMPER (83) FENCE (84) HYDRANT, SHORT POST, STUMP (85) SMALL POST/TREE, RURAL MAIL BOX, MILE TRUCK MARKER, DELINEATOR (11) SMALL VAN (E.G. ECONOLINE) (86) BUILDING (12) PICKUP TRUCK (87) PIER, PILLAR, BRIDGE SUPPORT (13) UNKNOWN LIGHT TRUCK (88) ABUTMENT, RETAINING WALL (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (89) BRIDGE RAIL (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE) (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (94) CABLE, FENCE BARRIER (95) CONCRETE BARRIER (MEDIAN) (35) TRUCK-TRACTOR (BOBTAIL) (96) IMPACT ATTENUATOR (36) CHASSIS-CAB (97) BREAKAWAY FEATURES

(37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)

Duplicate columns 1-8 Module C F from the previous card. 9 10	R Format 0 1		H RECONSTRUCT	TION CR-1
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER			47	
ΔV (km/h) TOTAL	9	$\frac{9}{32} \frac{-}{33}$	48 49 50	66 67 68
LONGITUDINAL	$\frac{9}{17}$ ${}$ 20	9	51 54	69 - 7
LATERAL* NOTE: THESE AV COMPONENTS	$\frac{9}{21} - {24}$	9	55 58	73 - 7
MUST INCLUDE SIGN. EXAMPLES: $10 \text{ km/h} = \pm 0.10$ $-7 \text{ km/h} = \pm 0.07$				
ENERGY DISSIPATED BY CRUSH (kj)	9	9	59 — — 62	77 - 8
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12		63 64	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE	29 30		65 64	·
CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL		·		
NOT RECONSTRUCTED BECAUSE		·	·	
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING		·		
(05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE				
(09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT				
NSPECTED MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<u>5</u>		6 5	
COMPUTER PROGRAM SPECIFY:				

Duplicate columns 1-8 Module <u>C</u> R from the previous card.	Format 0 2		H RECONSTRUCTES	TION CR-2
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	022	$\frac{9}{x}$ ${3}$	48 49 50	66 67 68
LONGITUDINAL*	<u>-022</u>	$\frac{Q}{35}$ ${}$ \frac	51 54	
LATERAL®	+004	9	<u></u>	73
NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 4 2		,,
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>-</u> <u>0</u> 0 Z				
ENERGY DISSIPATED BY CRUSH (14)	<u>O</u> <u>O</u> <u>3</u> <u>6</u>	9	59 62	$\frac{\pi}{n}$
RECONSTRUCTION	,			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22			
(21) RECONSTRUCTED, LOW	29 30		63 64	
CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE				
CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH				
CONFIDENCE LEVEL				
NOT RECONSTRUCTED BECAUSE				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/				
OVERRIDE (04) ROLLOVER		٠	·	
(05) VAULTING				
(06) OTHER TRAVEL IN MORE THAN ONE PLANE				
(07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE				
(09) YIELDING OBJECT				
(10) OTHER:			-	
BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY	2			
(2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC	31		65	
(4) TRAJECTORY & CDC & DETAILED DAMAGE				
(5) NOT RECONSTRUCTED				
		i	ī	

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u> 10 11 12 CRASH RECONSTRUCTION CR-3 Duplicate columns 1-8 from the previous card. 9 NOTES: 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS. CASE VEHICLE 2. MEASURE C_1 TO C_6 FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS. LOCATOR 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG. 4. USE THE CENTER OF THE WHEELBASE AS THE CG. Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts. Specific Impact No. **Location of Direct Damage** Location of Field L C6 **C5** PLANE: C2 (1) Bumper (2) Above Bumper C1 (3) Sili (4) Above Sill (5) Other_ (9) Unknown **CRUSH PROFILE IN CENTIMETERS** NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line. Specific Plane **Direct Damage** C_1 Impact of Impact Length Max Field C_2 C₄ C_3 C_5 ±D C6 Number C-Measur. (DDL) Crush 146 4 146 25 13 18 25 14 0 FREE -3 -3 -/ 0 0 -1 SPACE 46 003 003 013 018 013 022 46 15 16 17 13 18 19 20 2

1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN <u>CENTIMETERS</u> . 2. MEASURE C ₁ TO C ₆ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS. 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG. 4. USE THE CENTER OF THE WHEELBASE AS THE CG. Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.	CLE .
Specific Impact No. Location of Direct Damage Location of Field L	
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown CRUSH PROFILE IN CENTIMETERS	line
NOTE: Each line in the table below is a separate record (card). Specific Plane Direct Damage Impact of Impact Length Max Field C1 C2 C3 C4 C5 C6	±D
Number C-Measur. (DDL) Crush L	
1 9 999 999 999 999 999 999 999	+ 599
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41	42 43 44 45

Duplicate columns 1-8 from the previous card. Module W T Form 10 10 10 10 10 10 10 10 10 10 10 10 10	mat <u>0</u>	1 12	WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	0 13 0 0 0	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF P 2 2 5 7 5 R 1 6 RF B RR
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	417 4 4 2 2 2	LR ¥
(1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER:	LF RF RR	3 3 3 2	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:			

Duplicate columns 1-8 Module F T Forms from the previous card. 9 10	at <u>0</u> <u>1</u>	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3 21
MAIN TANK LOCATION	<u>322</u>	AUXILIARY TANK LOCATION	88
MAIN FILLER CAP LOCATION	112	AUXILIARY FILLER CAP LOCATION	<u>§</u> 8
MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	<u>8</u>
(2) (3) (4) (8) (9) SECON (1) (2) (3) (4) (8) (9) THIRD (1) (2) (3) (3) (8)	UNKNOWN ID DIGIT (LATE) LEFT OF FRAM WITHIN FRAME RIGHT OF FRA DUAL, RIGHT & NOT APPLICAE UNKNOWN DIGIT (VERTICAE BELOW FRAME WITHIN FRAME ABOVE FRAME	K-UP & COWL COWL BLE (NOT EQUIPPED) RAL) RE E OR CENTERED ME A LEFT TANKS BLE (NOT EQUIPPED) AL) E E OR CENTERED	
(1) (2) (3) (7) (8)	STEEL ALUMINUM PLASTIC OTHER NOT APPLICAE UNKNOWN	DES BLE (NOT EQUIPPED)	

rom the previou		F L Format (1 12		FUEL LEAK	AGE FL
	DID FU	EL LEAKAGE R	ESULT FROM A	CRASH EVEN		
	(O) N	O KNOWN LEAKA	SE SKIP PAGE.		<u>O</u>	
					13	
	(1) Y	ES <u>COMPLETE</u> P.	AGE.			
	l	II	III	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1						
	14 15		_			21
#2						
	22 23					29
#3		-				
	30 31					37
#4	38 39					45
45						
#5	46 47	_		_		53
TANK AREA			EEC SYSTEM (CONTI	NUED)	(1) MINOR (2) MODERATE	
(11) MAIN FUEL VAPOR RE (12) AUXILIARY			(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S	RY HOSES CARBURETOR) SEPARATOR		ED/DEFEATED
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF	?)	(33) VAPOR RECOVE	RY HOSES CARBURETOR) SEPARATOR OF TANK)	(2) MODERATE (3) SEVERE (4) DISCONNECT	
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY	COVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE	?)	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE	RY HOSES CARBURETOR) SEPARATOR OF TANK)	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT	OF LEAK
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANK (14) MAIN TANK (15) AUXILIARY (16) AUXILIARY (19) TANK ARE	ECOVERY DOME) FUEL TANK FILLER TUBE CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOW	?) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, NKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (2)	OF LEAK LOCATION) OF COWL COWL &
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANK (14) MAIN TANK (15) AUXILIARY (16) AUXILIARY (19) TANK ARE	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM	?) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UP	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, NKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F, FORWARD	OF LEAK LOCATION) OF COWL COWL & HEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL FEEL (22) FUEL FEEL	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM D LINE (MAIN TANK DUMP) D LINE (AUXILIARY	e) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, HKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK) (3) B. BEHIND RE (4) Y. F. & P	OF LEAK LOCATION) OF COWL COWL & HEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETL	ECOVERY DOME) FUEL TANK C FILLER TUBE C CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM D LINE (MAIN TANK PUMP) USINE (AUXILIARY FUEL PUMP) JEN LINE (FUEL	e) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN COMPONENT S	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, HKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F, FORWARD (2) P, BETWEEN (REAR BULK) (3) B, BEHIND RE (4) Y, F, & P (5) Z, P, & B (6) D, DISTRIBUTE	OF LEAK LOCATION) OF COWL COWL & HEAD EAR BULKHEAD
VAPOR RE (12) AUXILIARY (13) MAIN TANK (14) MAIN TANK (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETL PUMP TO (24) INLINE FUE (25) FUEL LINE	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM D LINE (MAIN TANK PUMP) JEN LINE (FUEL TANK) EL FILTER (PUMP TO	P) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, HKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B	OF LEAK LOCATION) OF COWL COWL & HEAD EAR BULKHEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETL PUMP TO (24) INLINE FUE CARBURE (26) CARBURE	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM DLINE (MAIN TANK PUMP) DLINE (AUXILIARY FUEL PUMP) JEIN LINE (FUEL TANK) EL FILTER (PUMP TO TOR OR INJECTOR PU	P) N 	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN COMPONENT S (1) OEM (2) AFTER MARKET	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, HKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B (6) D. DISTRIBUTI (F, P & B) (9) UNKNOWN	OF LEAK LOCATION) OF COWL COWL & HEAD EAR BULKHEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETI PUMP TO (24) INLINE FUE CARBURE (26) CARBURE (26) CARBURE (27) FUEL PUMP	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM DLINE (MAIN TANK PUMP) DLINE (AUXILIARY FUEL PUMP) JEIN LINE (FUEL TANK) EL FILTER (PUMP TO TOR OR INJECTOR PU	P) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN COMPONENT S (1) OEM (2) AFTER MARKET	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, NKNOWN IKNOWN	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK) (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B (6) D. DISTRIBUTI (F. P & B) (9) UNKNOWN	OF LEAK LOCATION) OF COWL COWL & HEAD EAR BULKHEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL RETL PUMP TO (24) INLINE FUE (25) FUEL LINE CARBURE (26) CARBURE (27) FUEL PUMH	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM D LINE (MAIN TANK PUMP) D LINE (AUXILIARY FUEL PUMP) JIRN LINE (FUEL TANK) ELL FILTER (PUMP TO TOR OR INJECTOR PUTP) FOR TO INJECTOR PUTP	P) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN COMPONENT S (1) OEM (2) AFTER MARKET (9) UNKNOWN	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, NKNOWN IKNOWN SOURCE	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F, FORWARD (2) P, BETWEEN (REAR BULK) (3) B, BEHIND RE (4) Y, F, & P (5) Z, P, & B (6) D, DISTRIBUTE (F, P & B) (9) UNKNOWN SECOND DIGIT (LATERAL LOCATION)	OF LEAK LOCATION) OF COWL & HEAD EAR BULKHEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL RETT PUMP TO (24) INLINE FUE (25) FUEL LINE CARBURE (26) CARBURE (27) FUEL PUMI (29) DELIVERY	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM D LINE (MAIN TANK PUMP) D LINE (AUXILIARY FUEL PUMP) JIRN LINE (FUEL TANK) ELL FILTER (PUMP TO TOR OR INJECTOR PUTP) FOR TO INJECTOR PUTP	P) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN COMPONENT S (1) OEM (2) AFTER MARKET (9) UNKNOWN	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, NKNOWN IKNOWN SOURCE	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B (6) D. DISTRIBUTE (F. P & B) (9) UNKNOWN SECOND DIGIT (LATERAL LOCATE	OF LEAK LOCATION) OF COWL & HEAD EAR BULKHEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETL PUMP TO (24) INLINE FUE (25) FUEL LINE CARBURE (26) CARBURE (27) FUEL PUMI (29) DELIVERY UNKNOWN	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN TEM D LINE (MAIN TANK PUMP) D LINE (AUXILIARY FUEL PUMP) JIRN LINE (FUEL TANK) ELL FILTER (PUMP TO TOR OR INJECTOR PUTP) FOR TO INJECTOR PUTP	P) N 	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN COMPONENT S (1) OEM (2) AFTER MARKET (9) UNKNOWN TYPE OF DAM (1) DENTED/CRUSHE (2) PUNCTURED (3) RUPTURED	RY HOSES CARBURETOR) SEPARATOR OF TANK) ETAILS RIMENT, NIKNOWN NIKNOWN SOURCE	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK) (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B (6) D. DISTRIBUTI (F. P & B) (9) UNKNOWN SECOND DIGIT (LATERAL LOCAT) (1) L. LEFT (2) C. CENTER (3) R. RIGHT (4) Y. LEFT CENTI	OF LEAK LOCATION) OF COWL COWL & HEAD HEAD HEAD HEAD TON)
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETL PUMP TO (24) INLINE FUE (25) FUEL LINE CARBURE (26) CARBURE (27) FUEL PUMP (29) DELIVERY UNKNOWN	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAP A, DETAILS UNKNOWN FEM D LINE (MAIN TANK PUMP) JEN LINE (FUEL TANK) EL FILTER (PUMP TO TOR OR INJECTOR PU P SYSTEM, DETAILS	P) N UMP IMP	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN (99) COMPONENT S (1) OEM (2) AFTER MARKET (9) UNKNOWN TYPE OF DAM (1) DENTED/CRUSHE (2) PUNCTURED	RY HOSES CARBURETOR) SEPARATOR OF TANK) ETAILS RTMENT, NKNOWN IKNOWN IKNOWN AGE AGE D	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK) (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B (6) D. DISTRIBUT: (F. P & B) (9) UNKNOWN SECOND DIGIT (LATERAL LOCAT: (1) L, LEFT (2) C. CENTER (3) R, RIGHT	OF LEAK LOCATION) OF COWL COWL & HEAD HEAD HEAD HEAD HEAD HEAD HEAD HEAD
(11) MAIN FUEL VAPOR RE (12) AUXILIARY (13) MAIN TANH (14) MAIN TANH (15) AUXILIARY (16) AUXILIARY (19) TANK ARE DELIVERY SYST (21) FUEL FEEL TO FUEL F (22) FUEL FEEL TANK TO F (23) FUEL RETT PUMP TO (24) INLINE FUE (25) FUEL LINE CARBURE (26) CARBURE (27) FUEL PUMI (29) DELIVERY UNKNOWN EVAPORATIVE (31) ATMOSPHE (NON-EEC	ECOVERY DOME) FUEL TANK (FILLER TUBE (CAP (GAS CAP) TANK FILLER TUBE TANK CAP (GAS CAF A, DETAILS UNKNOWN FEM D LINE (MAIN TANK PUMP) JEN LINE (AUXILIARY FUEL PUMP) JEN LINE (FUEL TANK) EL FILTER (PUMP TO TOR OR INJECTOR PU P SYSTEM, DETAILS EMISSION CONTROL	P) N	(33) VAPOR RECOVE (CANISTER TO C (34) LIQUID-VAPOR S (UNLESS PART (35) CANISTER (39) EEC SYSTEM, DE UNKNOWN (49) ENGINE COMPAI COMPONENT UN (99) COMPONENT UN (99) COMPONENT UN (1) OEM (2) AFTER MARKET (9) UNKNOWN TYPE OF DAM (1) DENTED/CRUSHE (2) PUNCTURED (3) RUPTURED (4) SEVERED/GROSS	RY HOSES CARBURETOR) SEPARATOR OF TANK) ETAILS RTMENT, NKNOWN IKNOWN IKNOWN AGE AGE D	(2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F. FORWARD (2) P. BETWEEN (REAR BULK) (3) B. BEHIND RE (4) Y. F. & P (5) Z. P. & B (6) D. DISTRIBUTI (F. P & B) (9) UNKNOWN SECOND DIGIT (LATERAL LOCAT) (1) L. LEFT (2) C. CENTER (3) R. RIGHT (4) Y. LEFT CENTI (5) Z. RIGHT CENTI	OF LEAK LOCATION) OF COWL COWL & HEAD HEAD HEAD HEAD HEAD HEAD HEAD HEAD

Duplicate columns 1-8 Module F R Format C from the previous card.	1 12	FIRE	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAC (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE? O 13	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 from the previous card.	Module <u>E</u>	D Format 0	1 12	EXTERIOR DAMAGE	ED-1
HOOD PERFORM	ANCE			STEERING COL FLEXIBLE COUPLING	
FOR THE FOLLOWI	NG, USE COL	DES:		FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLIC (9) UNKNOWN	CABLE			(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)-		-RELEASED	$\frac{\mathbf{O}}{13}$	(7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
		-DAMAGED	0		
		-JAMMED	0 12 15	COUPLINGDAMAGED (USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)	9 27 9 28
HOOD HINGES-	-LEFT,	DAMAGED	<u>0</u>	,	
	-LEFT,	SEPARATED (COMPLETE)	0 % 70 %		
	-RIGHT,	DAMAGED	0	ENG COMPART TELESCOPING UNIT	
	-RIGHT,	SEPARATED (COMPLETE)	19	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED	8 8
HOOD REMAINED O	N VEHICLE		1 20	(97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	
REAR EDGE OF HOO	DD-	-ELEVATED	$O_{\frac{21}{21}}$	ORIGINAL LENGTH (mm)	
-с	ONTACTED	WINDSHIELD	<u>O</u>	F (OR H):	
.р	ENETRATED	WINDSHIELD		TELESCOPED LENGTH (mm) G:	
HOOD LATCH LOCAT	TION				
(1) FRONT OF VI (2) COWL AREA (3) SIDE (8) NOT APPLICA (9) UNKNOWN			1/24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANS SEPARATION (COMM (0) NO (1) YES (9) UNKNOWN		Mount	$\frac{\mathcal{O}}{z_5}$	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EOUIPPED) (999) UNKNOWN	8 8

	· · · · · ·	EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER LOWER	Q 35 O	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FRONT	0 5 0 1
-B-PILLAR, UPPER	<u>O</u> 37 <u>O</u> 38	DOORS JAMMED CLOSED- USE CODES: (0) NO (1) YES	
-C-PILLAR, UPPER LOWER	O 39	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FRONT	<u>D</u> 45
-D-PILLAR, UPPER LOWER	0 41		

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK	2	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE	<u>8</u>
(2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		(9) UNKNOWN SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION	8 51
Hatchback One-way		(2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	
Two-way or Clamshell		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G.	0 52
Single door Double door		RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN) (8) EQUIPPED, TYPE UNKNOWN	
OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION	<u>O</u>	(9) UNKNOWN IF EQUIPPED TRAILER TYPE (AT TIME OF COLLISION)	
(3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN		(A) TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER:	<u>S</u>
(9) ONNIOWN DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	<u>O</u>	(8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	


		EXTERIOR DAMAGE E	D-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Q	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>Q</u> 55	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN	
LOWER	<u>Q</u>	-FRONT	
-B-PILLAR, UPPER	<u>O</u> 57	DOORS JAMMED SLOSED	
LOWER	<i>Q</i>	DOORS JAMMED CLOSED- USE CODES: (0) NO	
-C-PILLAR, UPPER	Q 59	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	Q	-FRONT	<u>o</u>
-D-PILLAR, UPPER	<u>Q</u>	-HEAR	68
LOWER	<u>0</u>	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	8

		EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE		WINDSHIELD MARK ON CASE VEHICLE	:
WINDSHIELD CRACKED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 70		
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN) (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>		and the second s
CRACKED OR BROKEN BY OCCUPANT CONTACT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN EXTENT OF BOND SEPARATION	8/2	WINDSHIELD CODE (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN	M A 75
(0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	<u>D</u>	ROOF DID T-ROOF/SUN ROOF OPEN DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN	76
LOCATE AREA OF WINDSHIELD INT & HORIZONTAL) ON THIS DIAGRA	FEREST OF M OF THE	R DAMAGE WITH DIMENSIONS (VERTICAL WINDSHIELD AS VIEWED FROM <u>INSIDE</u> .	
L	- -		 R

Duplicate columns 1-8 Module S C Format from the previous card. 9 10	0 1	STEERING WHEEL AND COLUMN S	:C-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u> </u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCUPRED? EXAMPLES O'CLOCK = 1, 2 O'CLOCK = 0, 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	2-14	(NORMAL STRAIGHT AHEAD) O'CLOCK - 1 2	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u>	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70-74 CHALLENGER, 70-74 CAPRI, 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: CMMI, 79 - MORIZON, 79 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	3 16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>♥</u> 18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)	
TYPE OF DEVICE * (IF 27 OR 28)	8 8	STEERING WHEEL HUB DAMAGE	
(88) NOT COLLECTED (99) UNKNOWN ORIGINAL LENGTH (mm)	23 24	(1) OCCUPANT CONTACT (2) AIRBAG (3) OTHER (9) UNKNOWN	D
C:		(c) connection	
COMPRESSED LENGTH (mm) D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE) OR			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)		·	
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			·
S (USE AVG. OF LEFT & RIGHT CAPSULES.) LT:			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>D</u>		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	ő Ö		

						Inte	RUSIO	N IT-1	
· · · · · · · · · · · · · · · · · · ·		(All Measurements Are in Centimeters)							
Location (Intrusion	of 1	Intruded	Component	Comparis Value	son Intrude — Value	ed e = Intrusion		Dominant Crush Direction	
						=			
					-	=			
						=		<u>.</u>	
					_	=			
					_	=			
						=			
					_	=			
						=			
110					-	=		***	
· · · · · · · · · · · · · · · · · · ·					-	=			
					_	=			
						=			
					-	=			
7			., <u></u> ,,			=			
						=			
					_	=			
			0	CCUPANT C	ONTACT WORKS	SHEET			
Contact	C	Interior omponent ontacted	Occupant No. if Known	Body Region if Known	Supporting Physical Evidence		Confidence Level of Contact Point		
Α	(·I.P.	Pn	LY. KARR					
В	L	.I.P.	Dn	Ct. Kare					
С									
D									
E						-			
F									
G									
Н									
1									
J									



INTRUSION IT-3

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

- (3) RIGHT INDIVIDUAL SEAT (1) LEFT (1) LEFT (2) CENTER (3) RIGHT BENCH: FULL WIDTH 3 PASSENGER (2) LEFT (6) RIGHT (3) RIGHT BENCH: FULL WIDTH 4 PASSENGER (1) LEFT CENTER **CENTER** (2) CENTER (5) RIGHT & BENCH: PARTIAL WIDTH, LEFT (1) LEFT AISLE SPACE (0) LEFT & (2) CENTER (5) RIGHT & BENCH: PARTIAL WIDTH, CENTERED **SPACE** SPACE
- (4) ENTIRE VEHICLE WIDTH CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY

X			X	11			13	
x	X	X				21	22	25
x	X	X				31	32	35
x	X	X	X	41	42	46	43	

CODES FOR COLUMN F. MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
- (Y) Y-AXIS (LATERAL)
- (Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

INTRUSION IT-4

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR
 - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR
 - WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR
- DOOR FRAME
 (56) ROOF RAIL
 A-PILLAR
 - B-PILLAR WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR
 - C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF
 - C-PILLAR THIRD SEAT-BACK

- (60)ROOF
 ROOF RAIL
 A-PILLAR
 B-PILLAR
 C-PILLAR
 WINDOW FRAME
 DOOR PANEL
 FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR
- (98)NOT APPLICABLE

(99)UNKNOWN

	columns 1-8 previous card	-	<u> </u>	Format 0				INTF	RUSION	IT-5
(0) N (1) Y	O <u>DO NOT</u>	JPANT COM ANSWER NEXT B NEXT QUEST SKIP PAGE.	T QUESTI		1) V	(0) NO (1) YES	ON CATAST COMPLETE PAI SKIP PAGE.		14
from the p		NS CODE INTO	is a sepa TRUSION		tard). Dup DRDER: LEF ON PAGE I	T TO RIGHT	on ROW; FRO		K IN VEHICLE	:s.
A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT		INTRUSION	F MAXIMUM INTRUSION Y AXIS (cm)		OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 1										
02										
03			_							
04			_							
05			_							
06							. —			
O 7 NOTE: US	SE ADDITIONAL	PAGE IF MORE TI	HAN 7 INTR	SUSIONS.						
	e columns 1-i previous can		<u> T</u>	Format <u>0</u>				•		
SIDE	IP REMAINDE	TRUSION		DOO	R INTRUS USION	D DOOR CO SION, COD DAMAGED OMPONENT		RESULTE ENT AGED DIENT 2	ED IN INCR CODES FOR COMPON	
INTRUS NUMB	SION BER CAUSE	CODES FOR CAUSE:		A	_	_	_	25	(0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR	
13 16 19	15 18 21	(1) DIRECT IMPACT (2) INDUCED DAMAGE (9) UNKNOW	:	26 2 C30 3		_	_	29 	(4) LATCH/ST (5) HINGES (7) OTHER: (8) NOT APPL (9) UNKNOW!	JCABLE
				34 3	5		-	37		

Duplicate columns 1-8 from the previous card.

Module | T Format 0 2 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT		E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
08			_							
<u>0</u> 9										
10										
11			_							
12.			_							
13										
14										
15										
16			_							
17								· ————		
18						· —				
19										
20			_							
21										
22			_							
2 3			·							
2 4										
2.5										
			_							

Duplicate columns 1-8 from the previous card.	Modul	e <u> </u> D	Format 0 1	in	TERIOR DAMAGE [[D-1
co	(1) NO) YES) NO, and	OCCUPANT CONTACT	(4) YES, and C (8) NOT APPL (9) UNKNOWN		
	LEFT	RIGHT				
SIDES			FRONT		INSTRUMENT PANEL	
FRONT DOOR	0	0 14	FOOT CONTROLS	0/45	UPPER PANEL	
FRONT HARDWARE	0	0	IGNITION KEYS	D	MID PANEL	0
FRONT ARMREST	15 Q	<u>D</u>	REAR VIEW MIRROR	6	LOWER PANEL	56 3 57
	17	18		<u>0</u>	ACUTDAY	
FRONT GLASS	19	<u>Q</u>	SUNVISOR/FITTINGS	. 48	ASHTRAY	58
REAR DOOR AREA	<u>D</u> 21	$\frac{\mathcal{O}}{\mathbf{z}}$	(5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES		CONTROL KNOBS & LEVERS	<u></u>
REAR HARDWARE	$\frac{\mathcal{O}}{z_3}$	Ø			CLOVE	59
REAR ARMREST	23 Q	24 D	WINDSHIELD TOP MOLDINGS	Q 49	GLOVE COMPARTMENT AREA	<u>C</u>
HEAR ARIVINES	25	26	LEFT A-PILLAR		INSTRUMENTS	<u>C</u>
REAR GLASS	Q 27	<u>Q</u>	(UPPER OR LOWER)	50		61
ROOF SIDE RAIL	<u>O</u>	0	RIGHT A-PILLAR	0	PARKING BRAKE RELEASE	<u>6</u>
B-PILLAR	29 <u>O</u>	30 D	(UPPER OR LOWER)	51	PARKING BRAKE PEDAL	<u>\$</u>
	31	32	CENTER CONSOLE	Q √ 52	A/C OR UPPER VENT OUTLETS	2
C-PILLAR	<u>Ø</u>	<u>Q</u> 34	TRANSMISSION	0	HEATER OR A/C DUCTS	64 <u>C</u>
D-PILLAR	<u>D</u>	<u>Ø</u>	SELECTOR LEVER	53	HEATER ON AVE DUCTS	65
HEADLINING	. ~		RIM, HORN, SPOKE		RADIO	<u>C</u>
	<u>O</u> 37 <u>O</u> 39	Q 38 <u>Q</u> 40			OTHER: *	5
ROOF STRUCTURE	39		a med			67
T-ROOF/SUN ROOF	1/41	1 42	Sammed			
OTHER: * Lone	1 43	<u>q</u>			REAR	
OTHER: * Pene	43	44			WINDOW	<u>C</u>
-					WINDOW HEADER	£
					Consoles	
					VERTICAL	0
					ROOF	6 71
					· - -	71

^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 from the previous card. Module S T 9 10	Format <u>0</u>		SEATS	;	ST-1
FRONT SEAT TYPE OF FRONT SEAT	DRIVER	PASSENT	FRONT SEAT-BACK	DRIVER	PASSEN
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE	05	0 5	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>3</u>	31
(09) INDIV. BENCH, PASS. WIDE (97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	15	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>0</u>	<u>O</u> 20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u></u>	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	1 21	1 2	RECLINER MECHANISM HELD (0) NO (1) YES	1	
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	23	\$ 24	(8) NOT APPLICABLE (9) UNKNOWN	36	
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	<u>D</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	2 38	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	2	2	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	40	8
FRONT SEAT ROTATION		0	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	8 42	8 43
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	<u>O</u> 29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>D</u>	<u>C</u>

			Se	ATS S	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSENT	SECOND SEAT (CONT.)		
(0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN	146	1	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST)	5	3 ′
ADJUSTMENT PROVIDED (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	1	1 49	(9) UNKNOWN IF EQUIPPED SECOND SEAT-BACK LOCKS	LEFT	Rіднт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<u>0</u>	<u>O</u>	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN LEFT OR CENTER, EQUIPPED	,	0
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	\$ 53	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	\(\frac{1}{61} \) \(\frac{2}{63} \) \(\frac{1}{65} \) \(\frac{1}{65} \)	0 28 4 4 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	<u></u>	2 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	67	£
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Right	EQUIPPED BACKREST DAMAGED	Ø 88 8 71	0 70 8 72 8 74
 (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL 	2 56	<u>Z</u>	CUSHION DAMAGED	71 72 73	72
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN		<u>O</u> 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	-	<u> </u>

Duplicate columns 1-8 from the previous card. Module A B Format 0 11		AIRBAG	AB-1
DRIVER SIDE		PASSENGER SIDE	:
LOCATION OF AIRBAG		LOCATION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
EQUIPPED		EQUIPPED	ĺ
(0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	(0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
DEPLOYED		DEPLOYED	
(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	(0) NO · (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	177
CONDITION OF AIRBAG		CONDITION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
(0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN	<u>O</u>	(0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNEDMELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN	0 18
(8) NOT APPLICABLE INST EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION		(8) NOT APPLICABLE (NOT EQUIPPEDNOT DEFLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	
DRIVER SIDE AIRBAG		PASSENGER SIDE AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
TETHER		TETHER	
(0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	(0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	21
MARKED BY CONTACT		MARKED BY CONTACT	
(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	$\frac{\mathcal{O}}{z_0}$	(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	2

	AIRBAG AB-2
AIRBAG NUMBER ON DRIVER SIDE:	
NOTE AND DESCRIPE ANY AIRPAC CONTACT	EIAP
NOTE AND DESCRIBE ANY AIRBAG CONTACT O DAMAGE ON DIAGRAM BELOW:	DR FIAP 162 W 13 T
	18 58 u 49 T
•	
AIRBAG NUMBER ON PASSENGER SIDE:	
NOTE AND DESCRIBE ANY AIRBAG CONTACT (DAMAGE ON DIAGRAM BELOW:	DR .

NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,

USE ADDITIONAL COPIES

OF PAGES OC-1, OC-2, OC-3,


AND IC-2 TO DESCRIBE THEM

AND ATTACH THE COPIES TO THIS REPORT.

Duplicate columns 1-8 Module O C Format 0 11 11	2 12	OCCUPANT INFORMATION OC-1			
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN OCCUPANT POSITION ROW LOCATION	0 1 13 14 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN MASS (kg) (999) UNKNOWN (115 16) HEIGHT (cm)	27 20 21 2 5 22 23 24 25 26		
(1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	(999) UNKNOWN (Sft Zin) SEX (1) MALE (2) FEMALE (9) UNKNOWN	1 5 7 27 28 28 2 30		
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	<u>O</u> <u>O</u> <u>31</u>		
(10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET	18 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS	<u>O</u> 1		
(60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		(0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	<u>O</u> 35		

		OCCUPANT INFORMATION (OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	<u>O</u> 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 8
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG DEPLOYED	3 3 3 1 3 2 1 3 2 1 3 3 2 1 3 3 3 3 3 3	EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, RIGHT SIDE (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 8 4 45
(4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	2	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>



Duplicate columns 1-8 from the previous card.

Module 1 C Format 0 1 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

						PRIM	ARY (DIC	ļ	A	SSOC	IATE	010		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAB START V IN 1ST C	NLITY (HORL VITH MOST I CONTACT AR	N ORDER OF ZONTALLY) PROBABLE IEA COLUMN. LE CONTACT	BODY REGION 1	ASPECT N	LESION 3	SYSTEMORGAN &	SEVERITY 15	BODY REGION 1	ASPECT N	LESION 3	SYSTEMORGAN 4	SEVERITY 5	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
21	01	56			K	R	<u>८</u>	<u>I</u>	1	_	_	_	_	-	
	02	56			K	<u></u>	<u>c</u>	I	1	_		_		_	
					-	_		_	_	_		_	_	-	
					-	_	_	_	_	_	_		_	-	
					-		_			_	_			-	
					-	_	_			_	_	_	_	-	
					-	_	_		_	_	_	_	_	-	•
<u>e</u>					-	_	_	_	_		_	_	_	-	
or each li					_		_	_	_	_	_		_	-	•
lumber" (-	-	_	_	_	_	_				-	
Occupant Number" for each line.					-	_	_	_	-	_		· _	_	-	
Duplicate "Oc					-	_		_		_			_	-	
dnO					-	_	_	_	_	_			_	-	
					-		_		-	-	-			-	
					-	_	_	_				_	_	-	
					-	-	_	_	_	-	_	_		-	
				•	-	_	_		_	-				-	
					-	_	_			_	_	_	_	_	

INJURY CLASSIFICATION IC-2

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
		(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)	• •	•
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	· · · · · · · · · · · · · · · · · · ·
(81)	ASH TRAY (INSTRUMENT PANEL)	,,	(0.02)
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	• •	A-PILLAR
(,		, ,	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	• •	C-PILLAR
(53)	PARCEL TRAY	• • •	D-PILLAR
(48)	KNEE RESTRAINT	(17)	U-PILLAR
	VERTICAL CONSOLE	FLOOR	
(86)	VERTICAL CONSOLE	FLOOR	
(00)	5007.00\1700\0.0\10\10\10\10\10\10\10\10\10\10\10\10\10		FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	CONSOLE ON FLOOR OR BETWEEN SEATS
		(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	• •	ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	• •	COAT HOOK
(67)	IGNITION KEY		DOME LIGHT
(06)	MIRROR		
(04)		• •	BACKLIGHT HEADER
			ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	=	
(58)	ADD-ON TAPE DECK, RADIO, A/C		OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
_			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW	, ,	OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
,		(64)	TIRES OF CASE VEHICLE
NTERIO	R-GENERAL	(54)	THE OF ORDEVERHOLE
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(30)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)		
(84)	PARKING BRAKE HANDLE IN FRONT	· (71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
			OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND.
		` *	OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		, , , , , , , , , , , , , , , , , , ,
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)		OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	
(46)	AIRBAG GAS	(12)	COLUTA (DEGUNIDE)
(48)	KNEE RESTRAINT	Micory	ANEOLIC
(30)	HEAD RESTRAINT	MISCELL	
		(00)	,
(42)	CHILD SEAT RESTRAINTS	. (38)	
(43)	CHILD SEAT	·	SPARE TIRE
(31)	INTERIOR LOOSE OBJECT	(96)	INDUCED
(32)		(90)	
	OTHER OCCUPANT(S)	(97)	EJECTED, UNKNOWN CONTACT
(52)	OTHER OCCUPANT(S) INTERNAL FLYING GLASS (FROM ANY SOURCE)	·	EJECTED, UNKNOWN CONTACT
	OTHER OCCUPANT(S)	(97)	EJECTED, UNKNOWN CONTACT

INJURY CLASSIFICATION IC-3 THE FIGURE BELOW IS AN EXPLANATION OF THE BODY REGION CODES LISTED ON PAGE IC - 4. ___(H) HEAD FACE - (N) NECK -(S) SHOULDER (BS) THORACIC SPINE -(C) CHEST (A) UPPER ARM (E) ELBOW (R) FOREARM (W) WRIST (W) HAND. (BI) LUMBAR SPINE (M) ABDOMEN (P) PELVIS - (T) THIGH • (K) KNEE-(L) LOWER LEG (Q) ANKLE (Q) FOOT-

INJURY CLASSIFICATION IC-4

CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

•		
•	PARV	REGION
ı	ז טטם	NEGIOIN

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY OF SYSTEM/ORGAN 4
LESION OF ASPECT OF

5 SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN

Core No. 186.3/26.68 Core No., (c): 1999 Awg. Typi: Chendes, 6 x 8 thiose SSV Chine: 21 year-old formio Vols (b): 1990 Chended Astro Nan, 8260

Light Conditions Daylight
Vision or Davidy
Road Sortice Dry
Road Condition Asphalt

50m

CX CHI CHICAN-CAL









N3725-98 #5



est Availabl



st Availabl





























































CHIEF NO. EM-0703-68
CHIEF VEHICLE: 1994 Jung

OCCUPACI Deser 27-year-sid bende STRTUTE. HE en (En 2 sq.0000, 50 kg/755 No PECTANOS 5-point bet wore, setting deployed STRTUTE NAME - 1 00 -1



